
ALL-IN-ONE WIRELESS INDOOR & OUTDOOR SPEAKER



ACTIVE SURFACE MOUNT SPEAKER

The iO1 speaker can be used indoors and outdoors with 6 different orientations. Connect to the speakers wirelessly or via a data cable. With a powerful amplifier and connectivity all built in, this active surface mount speaker delivers premium audio quality and ease of install in one versatile package.





LIMITLESS INSTALL POSSIBILITIES



ON WALL



focus audio directly to an indoor or outdoor seating area.




IN CORNER

Ideal for any corner such as eaves in the garden or corners




PENDENT

ldeal for pendent hanging over a kitchen island, a dining table, a hot tub or in a pergola. Eyelet kit sold seperately.




Ideal for on a bookcase, dining room sideboard, a desk or





(Ground Spike and Pendent mounting kit sold separately)

ALL-IN-ONE SYSTEM. JUST ADD POWER. CONNECT SECOND SPEAKER **POWER VIA:** VIA SPEAKER CABLE OUTDOOR PLUG SOCKET SOCKET OR WIRELESS MULTI-ROOM AUDIO Works wit Apple AirPlay C ETHERNET 🜄 Chromecast built-in Ni 🕞 WORKS WITH **VOICE CONTROL** 🚯 Bluetooth' 5.0



Features

Place Anywhere Mount 6 different ways to suit your install requirement

All-In-One Solution Amplifier and Wi-Fi all built-in, just add power

Easy Connection Connect to plug socket or existing light circuit or any power source available 230V or 110V supply

Built-in AirPlay 2 and Google Chromecast Stream music directly from your Smart Phone / Tablet using Bluetooth or control multiple rooms at the same time

Multi-Room Audio Connect multiple iO1's and Lithe Audio Ceiling Speakers for a whole home, indoor and outdoor audio experiance

Outdoor Rated to Impressive IPX6 Weather Resistant IPX6 rated protection is extremely waterproof, impenetrable by weather, high pressure jets of water and even a non-sustained total soaking

Dynamic Sound

Fully Adjustable EQ via Lithe App to deliver fine tuned optimal sound

Choice of Connectivity Wireless and Wired Connections to use with any streaming service or cabled equipment

Accessories available

06851 Power Extension Lead 5m 06850 16AWG Speaker Cable 7m 06840 IO1 Garden Spike Black (single) 06841 IO1 Garden Spike White (single) 06852 IO1 Eyelet Kit (Single)

Audio Spec

- RMS Power: 100W RMS (2x 50W)
- Frequency Response 55Hz 20KHz (+/- 3dB) Impedance: 4 Ohms nominal (8 8) Sound Quality THD+N <0.01%

Sensitivity (1VV/1m): 82dB

Line In (Optical), auto-detecting

Type: Class D (Digital)

Audio Compression: 192kHz / 24 bits

Speaker Spec

Dimensions: (H X W X D) 465 X 170 X 100mm (18.3 X 6.7 X 3.9 inches) Power Input Supply: 100 - 240V, 50/60Hz / 2.5A Colour: Matt Black or White Woofer: 2 x 3" Waterproof Coated Paper Cone Tweeter: 0.75" Waterproof Coated Silk Dome Weight: 2.7kg (6lbs) IP Rating: IPX6 Aluminium Front Grille 16 AWG Tin Coated Copper Cable

2 Year Warranty

What's in the box

IQ1 Surface Mount Speaker Power Supply Mounting Bracket Instruction Manual

Connectivity

Wi-Fi certified 2.4Ghz / 5Ghz (802.11a/b/g/n/ac) (if using outdoor we recommend to use an outdoor access point)

10/100 Ethernet Ports (In/Out) (For hardwire connection)

Apple AirPlay 2 and Google Chromecast built-in certified

Spotify HiFi certified

Bluetooth 5.0

Optical

Works with OK Google

Passive speaker output

WiFi (Internet Radio)

(Connectivity to speaker: Compression Gasket with Clamping Bracket)

SKU Codes

06800 IO1	WiFi Speaker (Single) - Black
06801 IO1	WiFi Speaker (Single) - White
06810 IO1	WiFi Speaker (Pair) - Black
06811 IO1	WiFi Speaker (Pair) - White
06820 IO1	Passive Speaker (Single) - Black
06821 IO1	Passive Speaker (Pair) - Black
06830 IO1	Passive Speaker (Single) - White
06831 IO1	Passive Speaker (Pair) - White

litheaudio.com